higher education & training

Department:
Higher Education and Training
REPUBLIC OF SOUTH AFRICA

T200**(E)**(J20)T

NATIONAL CERTIFICATE

BUILDING DRAWING N1

(8090001)

20 July 2018 (X-Paper)
09:00–13:00

REQUIREMENTS: ONE A2 drawing sheet

Drawing instruments and a calculator may be used.

This question paper consists of 5 pages and 1 diagram sheet.

Copyright reserved

DEPARTMENT OF HIGHER EDUCATION AND TRAINING
REPUBLIC OF SOUTH AFRICA

NATIONAL CERTIFICATE
BUILDING DRAWING N1
TIME: 4 HOURS
MARKS: 100

INSTRUCTIONS AND INFORMATION

1. Answer ALL the questions.
2. Read ALL the questions carefully.
3. Number the answers according to the numbering system used in this question paper.
4. ALL drawings must be drawn to the required scale.
5. ALL drawings, as well as candidate information, must be done in pencil.
6. Drawings must be neat, reasonably large, in proportion and fully labelled in capital letters.
7. A balanced layout is very important and candidates will be penalised for poor planning.
8. ALL drawings must comply with the relevant SANS (SABS) recommended codes.
9. Use your own discretion where dimensions are NOT given.
10. Write neatly and legibly.

Copyright reserved

QUESTION 1

Various options are given as possible answers to the following questions. Choose the answer and write only the letter (A–C) next to the question number (1.1–1.10) in the ANSWER BOOK.

1.1 Can be regarded as a corner or as the space between two straight lines (stated in degrees) which meet at a point called the vertex:

A Angle
B Bisect
C Line segment

1.2 To divide an angle or line into two equal parts:

A Angle
B Bisect
C Line segment

1.3 The shortest distance between two points:

A Rise
B Span
C Line segment

1.4 The same distance apart throughout their length:

A Line segment
B Parallel lines
C Straight line

1.5 Deals with two-dimensional objects which have length and breadth but no thickness:

A Straight line
B Plane geometry
C Parallel lines

1.6 At right angles to a given line or surface:

A Parallel lines
B Perpendicular
C Straight line

1.7 A straight line starting at a fixed point stretching out limitlessly in one direction:

A Perpendicular
B Radius
C Straight line

Copyright reserved

1.8 Deals with three-dimensional objects which have length, breadth and thickness:

A Solid geometry
B Bisect
C Plane geometry

1.9 Stretches out in both directions and has no definite length:

A Straight line
B Bisecting line
C Radius

1.10 Comes into existence through the movement of the geometrical point:

A Angle
B Geometrical line
C Bisecting line

(10 × 1) **[10]**

QUESTION 2

The external walls of a house are built with one-brick walls that have 330 mm and 440 mm footings which rest on a 600 mm × 230 mm strip foundation. The ground conditions are very wet and DPM should be placed to prevent moisture from passing through the house.

Draw, to scale 1 : 10, a vertical section through the external wall of the house, plastered internally only and clearly show the following:

- One-brick foundation wall built with stock bricks
- One-brick external wall built with face brick externally and stock brick internally
- 440 mm footing built with stock bricks (one course high)
- 330 mm footing built with stock bricks (one course high)
- 600 mm × 230 mm strip foundation
- Ground level, 300 mm above top of strip foundation (indicate different types of soil)
- 150 mm hard core
- 75 mm floor slab 225 mm above ground level
- 20 mm screed
- 19 mm plaster
- Damp-proof membrane **[20]**

QUESTION 3

Draw, to scale 1 : 1, an octagon polygon with eight equal sides of 50 mm long. **[10]**

Copyright reserved

QUESTION 4

The FIGURE on the DIAGRAM SHEET (attached) shows the outline of a one-brick external corner.

Use the same dimensions and draw, to scale 1 : 10, TWO alternate plan courses in English bond. Make sure that the views are drawn directly below each other. Label cut bricks in ALL views. **[20]**

QUESTION 5

Draw, to scale 1 : 10, a vertical section through a galvanised sheet ridging.

Use the following specifications:

Roof pitch	30°
Rafters	114 mm × 38 mm
King post	114 mm × 38 mm
Galvanised sheet ridge	1 mm galvanised steel
Purlins	75 mm × 50 mm (centred at 1 200 mm)
Roof cover	Galvanised corrugated sheeting

NOTE: Apply the 456 mm method to find the centre of the ridge. **[20]**

QUESTION 6

An external raised and fielded panel door is 2 030 mm high, 820 mm wide and 44 mm thick with a high-lock rail. The upper portion of the door and the bottom part of the door consists of single raised and fielded panels.

Draw, to scale 1 : 10, the outside view of the external door using the following specifications:

Top rail	110 mm × 44 mm
High lock rail	220 mm × 44 mm (1 300 mm from floor to top of lock rail)
Bottom rail	220 mm × 44 mm
Stiles	110 mm × 44 mm
Raised and fielded panel	50 mm thick

NOTE: Include dimension lines. **[20]**

TOTAL: 100

Copyright reserved

DIAGRAM SHEET



FIGURE

Copyright reserved